

HP Hose QC Kit



Features :

- Provides secure and quick fittings
- For use with pressure washers up to 4,000 PSI
- Gives you quick-connect fittings to create easy pump-to-hose and hose-to-gun connections
- Compatible with most M22 and quick-connect fittings on pressure washers
- Genuine OEM replacement part

Model#	SKU#	Description
PWA001	10012304	BluShield High Pressure Hose Quick Connect Kit

BluShield Turbo Nozzle

Features :

- Creates a powerful jet of water
- For use with pressure washers up to 3,000 PSI
- Ideal for cleaning brick, concrete and vinyl
- Turbo nozzle cleans up to 40% faster than standard nozzles
- Connect to quick-connect Wands or fit onto most brands of pressure washers for an intense clean



Model#	SKU#	Description
PWA002	10012305	Blushield Nozzle, 4.0 in.

4000 PSI Quick-Connect Spray Tips



Features :

- Replace old, lost, or worn pressure washer spray tips
- Kit includes four high-pressure spray patterns, including 0°, 15°, 25°, 40°, and one cleaning solution spray tip
- Cleans a variety of surfaces from garage floors to windows
- Pairs with gas pressure washers and quick-connect wands

Model#	SKU#	Description
PWA003	10012306	Blushield 4000 PSI Quick-Connect Spray Tips, 3.5 in.

6 -in-1 Nozzle

Features :

- Combines (5) different spray patterns into one convenient head
- Eliminate the loss of multiple nozzles by combining all functions into one
- Spray patterns include 0 degrees, 15 degrees, 40 degrees, soap and flush for a complete clean
- For use with most brands of pressure washers up to 3,200 PSI
- Connects to quick-connect Wands



Model#	SKU#	Description
PWA004	10012307	Blushield 6-in-1 Nozzle

3/8" Quick-Disconnect Plug x 3/8" Male Pipe Thread Pressure Washer Adapter



Features :

- Includes: 3/8" quick-disconnect plug x 3/8" female pipe thread adapter, 3/8" quick-disconnect socket x 3/8" female pipe thread adapter
- Use Teflon tape or paste for a leak-free connection

Model#	SKU#	Description
PWA005	10012308	Blushield 3/8" Quick-Disconnect Plug x 3/8" Male Pipe Thread Pressure Washer Adapter

Male Metric x 3/8" Male Pipe Thread Pressure Washer Adapter



Features :

- Converts female pipe thread to a female metric connection
- Hex nut makes installation easy
- Use pipe thread tape to ensure a leak-free connection
- For use on pumps, injectors, hoses, etc

3/8" Female Pipe Thread x Female Metric Pressure Washer Adapter



Features :

- Converts male metric connection to 3/8" female pipe thread
- For use on wands, hoses, pumps, etc.
- Durable construction for pressure washer use
- Use pipe thread tape to ensure a leak-free connection

Model#	SKU#	Description
PWA006	10012309	Blushield Male Metric x 3/8" Male Pipe Thread Pressure Washer Adapter
PWA007	10012310	Blushield 3/8" Female Pipe Thread x Female Metric Pressure Washer Adapter

1/4" Female Pipe Thread x Female Metric Pressure Washer Adapter



Features :

- Converts male pipe thread to a male metric connection
- Attach and remove adapter quickly using the easy grip nut
- For use on wands, hoses, pumps, etc.
- Durable construction for pressure washer use

Male Metric x 1/4" Female Pipe Thread Pressure Washer Adapter




Features :

- Converts male pipe thread to a female metric connection
- For use on pumps, injectors, hoses, etc.
- Hex nut makes installation easy
- Durable construction for pressure washer use

Model#	SKU#	Description
PWA008	10012311	Blushield 1/4" Female Pipe Thread x Female Metric Pressure Washer Adapter
PWA009	10012312	Blushield Male Metric x 1/4" Female Pipe Thread Pressure Washer Adapter

1/4" Quick-Disconnect Plug x 1/4" Male Pipe Thread Pressure Washer Adapter



Features :

- End 1 Type: Quick-disconnect plug
- End 3 Type: Quick-disconnect socket
- Includes: 1/4" Quick-disconnect plug x 1/4" male pipe thread adapter, 1/4" quick-disconnect socket x 1/4" female pipe thread adapter
- 1/4-inches FPT connection

Model#	SKU#	Description
PWA010	10012313	Blushield 1/4" Quick-Disconnect Plug x 1/4" Male Pipe Thread Pressure Washer Adapter

65° Black Low Pressure Quick-Disconnect Soap Tip

Features :

- Black 65° spray tip applies soap pressure spray for pressure washer cleaning applications
- Connects directly to pressure washer wands with 1/4" quick-disconnect socket
- Quick-disconnect spray tips allow you the flexibility to select the specific spray tip pattern needed for your application



Model#	SKU#	Description
PWA011	10012314	Blushield 65° Black Low Pressure Quick-Disconnect Soap Tip

3.5 Orifice 40° Quick-Disconnect Pressure Washer Spray Tip



Features :

- White 40° spray tip is for use on painted surfaces or equipment
- Connects directly to pressure washer wands with 1/4" quick-disconnect socket
- Quick-disconnect spray tips allow you the flexibility to select the specific spray tip pattern needed for your application

Model#	SKU#	Description
PWA012	10012315	Blushield #3.5 Nozzle 40° Quick-Disconnect Pressure Washer Spray Tip

3.5 Orifice 25° Quick-Disconnect Pressure Washer Spray Tip

Features :

- Green 25° tips work on bare wood, siding, fences, and other similar surfaces
- Connects directly to pressure washer wands with 1/4" quick disconnect socket
- Quick-disconnect spray tips allow you the flexibility to select the specific spray tip pattern needed for your application



Model#	SKU#	Description
PWA013	10012316	Blushield #3.5 Nozzle 25° Quick-Disconnect Pressure Washer Spray Tip

3.5 Orifice 15° Quick-Disconnect Pressure Washer Spray Tip



Features :


- Yellow 15° tip is great for use on concrete, brick, and other hard or porous surfaces with stubborn stains
- Connects directly to pressure washer wands with 1/4" quick-disconnect socket
- Quick-disconnect spray tips allow you the flexibility to select the specific spray tip pattern needed for your application

Model#	SKU#	Description
PWA014	10012317	Blushield #3.5 Nozzle 15° Quick-Disconnect Pressure Washer Spray Tip

3.5 Orifice 0° Quick-Disconnect Pressure Washer Spray Tip

Features :

- Red 0° tip is ideal for cleaning or rinsing hard to reach areas crevices in sidewalks or driveways
- Connects directly to pressure washer wands with 1/4" quick-disconnect socket
- Quick-disconnect spray tips allow you the flexibility to select the specific spray tip pattern needed for your application



Model#	SKU#	Description
PWA015	10012318	Blushield #3.5 Nozzle 0° Quick-Disconnect Pressure Washer Spray Tip

Male Metric Pressure Washer Adapter

Female Metric x 3/8" Quick-Disconnect Plug/Socket Pressure Washer Adapter Set



Features :

- Creates a connection between two female metric ends
- Heavy-duty plated steel or brass construction
- For use on guns, hoses, wands, and accessories
- Durable construction for pressure washer use

Features :

- Converts male and female metric connections into 3/8" quick-disconnect connectors
- Adapters create a thread free connection between pump and hose
- Quick-disconnect feature allows for easy change out of accessories
- Durable construction for pressure washer use



Model#	SKU#	Description
PWA016	10012319	Blushield Male Metric Pressure Washer Adapter
PWA017	10012320	Blushield Female Metric x 3/8" Quick-Disconnect Plug/Socket Pressure Washer Adapter Set

Quick-Disconnect Garden Hose Adapter Set

Cleaning Solution Siphon Hose and Filter



Features :

- Allows quick and easy connection of garden hoses
- Heavy-duty brass construction for adapter durability
- Use to connect pressure washer supply, garden hoses, or accessories
- Quick-disconnect feature allows for easy change out of accessories

Features :

- Used to siphon detergent out of a separate container
- For use with most brands of pressure washers
- Includes a filter to ensure no contaminants enter the pressure washer pump
- Help keep your pressure washer running at peak performance
- Genuine OEM replacement part



Model#	SKU#	Description
PWA018	10012321	Blushield Quick-Disconnect Garden Hose Adapter Set
PWA019	10012322	Blushield Cleaning Solution Siphon Hose and Filter

O-Ring Kit

Lance Assembly 18" with Hi-Lo #3.5 x M22

Pressure Washer O-Ring Replacement Kit



Features :

- Simply twist for a full range of spray patterns from pin-point to wide fan (0 - 40 degrees)
- Easily adjust pressure from high to low for applying cleaning solutions
- For pressure washers up to 3,200 PSI
- Connects to M22 spray gun fittings 24.25 L x 4.50 W x 2.00 H



Model#	SKU#	Description
PWA020	10012323	Blushield O-Ring Kit
PWL001	10012324	Blushield Lance Assembly 18" with Hi-Lo #3.5 x M22

20" Lance Adjustable Spray Nozzle & Wand

3000 PSI Multi-Tip Adjustable Pressure Washer Wand

Features :

- Adjustable spray nozzle and wand
- Up to 3000 PSI pressure washers and connects to M22 spray gun fittings
- Simply twist for a full range of spray patterns from pin-point to wide fan (0-40 degrees)
- Easily adjust from high to low for applying cleaning solutions
- Fits multiple brands

Features :

- Comes with 6-in-1 nozzle
- Easy one click spray selection switches between 0°, 15°, 40°, and 65° spray patterns
- 18" wand connects to most consumer pressure washer units
- Male metric wand inlet



Model#	SKU#	Description
PWL002	10012325	Blushield 20" Lance Adjustable Spray Nozzle & Wand
PWL003	10012326	Blushield 3000 PSI Multi-Tip Adjustable Pressure Washer Wand

4000 PSI Easy-Lock Metric Quick-Disconnect Replacement Pressure Washer Wand

3000 PSI Metric Pressure Washer Gun

Features :

- Easy-lock quick-disconnect wand with lock down collar for quick, one-handed connections
- Provides an additional 20" length for high, hard to reach cleaning applications
- Quick-disconnect feature allows for quick, easy change outs of nozzles, tips, and other accessories
- Can be used as a replacement or extension wand

Features :

- For use with gas pressure washers
- Spray lance required; not included
- Inlet: M22 threaded male
- Outlet: M22 threaded female
- Maximum pressure: 3200 PSI
- Maximum flow: 8 GPM
- Maximum temperature: 200° F



Model#	SKU#	Description
PWL004	10012327	Blushield 4000 PSI Easy-Lock Metric Quick-Disconnect Replacement Pressure Washer Wand
PWG001	10012328	Blushield 3000 PSI Metric Pressure Washer Gun

Hot Water Pressure Washer Gun with Vented Lance — 5,000 PSI, 10 GPM, 16" Lance

Features :

- Vented design for hot water applications
- High-impact Zytel polymer cover
- Viton O-ring
- Chrome-plated lance with top M22 coupler and 3/8in. quick-connect inlet brass coupler
- Up to 5000 PSI at 300°F



Model#	SKU#	Description
PWG002	10012329	Blushield Hot Water Pressure Washer Gun with Vented Lance — 5,000 PSI, 10 GPM, 16" Lance

Gun/Lance 3200psi M22xM22



Features :

- Trigger lock helps prevent accidental spraying
- For use with metric wands and accessories

Model#	SKU#	Description
PWG003	10012330	Blushield Gun/Lance 3200psi M22xM22

High Pressure Gun

Features :

- Designed for powerful cleaning applications with strong water output.
- Supports operating pressure from 1000 to 4000 PSI, ideal for various cleaning tasks.
- Built to withstand temperatures ranging from 0°C to 40°C, ensuring safe use in typical conditions.
- Equipped with an automatic nozzle for convenient and efficient foam or water spray.



Model#	SKU#	Description
PWA035	10013683	High Pressure Gun

Metal Brass Foam Gun High Pressure

Features :

- Comfortable grip handle and trigger for extended use without hand fatigue.
- Made from durable solid brass for long-lasting performance and corrosion resistance.
- Polished or coated surface for extra resistance to rust and weather elements.
- Includes high-quality rubber gaskets and tight-sealing components to prevent leaks under pressure.



Model#	SKU#	Description
PWA043	10013682	Metal Brass Foam Gun High Pressure

3/8" Quick Disconnect Male Plug x 3/8" Female Pipe Thread Pressure Washer Adapter

Features :

- Allows fast and easy connection or disconnection without tools, saving time during setup.
- Made from durable materials like solid brass or stainless steel for long-lasting performance.
- Ideal for pressure washers, foam guns, spray wands, and other cleaning equipment.
- Standard size compatible with most pressure washer hoses and accessories.



Model#	SKU#	Description
PWA062	10013743	3/8" Quick Disconnect Male Plug X 3/8" Female Pipe Thread Pressure Washer Adapter

3/8" Quick-Disconnect Socket X 3/8" FPT Pressure Washer Adapter

Features :

- Enables fast, secure attachment and removal of pressure washer accessories without the need for tools.
- Female Pipe Thread end fits standard 3/8" male threaded fittings for easy integration with hoses or equipment.
- Crafted for high-strength performance under frequent use in high-pressure cleaning environments.
- Designed to perform well in outdoor settings and withstand exposure to detergents and cleaning agents.



Model#	SKU#	Description
PWA055	10013679	3/8" Quick-Disconnect Socket X 3/8" FPT Pressure Washer Adapter

1/4" Quick-Disconnect Socket X 1/4" FPT Pressure Washer Adapter

Features :

- Allows for fast and secure attachment of spray wands, nozzles, and other accessories.
- Standard threading fits most 1/4" male connectors commonly used in pressure washer systems.
- Ideal for tight spaces and handheld tools, offering ease of use without added bulk.
- Made from high-quality materials like brass or stainless steel for long-term reliability.
- Provides a tight seal to prevent water leakage even under high pressure.



Model#	SKU#	Description
PWA052	10013681	1/4" Quick-Disconnect Socket X 1/4" FPT Pressure Washer Adapter